

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55	(CBCM) and (current measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 13:51
L2	47	(CBCM) same (current measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 13:52
L3	2	(CBCM) same (current adj measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 14:16
L4	9	(CBCM) and (current adj measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/25 14:16
S1	1973	(716/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:43
S2	1477	(716/5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:56
S3	15	(716/4).ccls. and (coupling adj capacitance) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S4	18	(716/5).ccls. and (coupling adj capacitance) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:16
S5	35	("716"/\$).ccls. and (coupling adj capacitance) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:16
S6	35	("716"/\$).ccls. and (coupling adj capacitance) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:42

S7	167	(coupling adj capacitance) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:42
S8	0	(coupling adj capacitance) and (process adj parameter\$2) and (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:44
S9	23	(capacitance adj measurement\$2) and (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:07
S10	7	(capacitance adj measurement\$2) same (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:45
S11	5	((capacitance adj measurement\$2) same (probe adj station)) and (current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:48
S12	0	((coupling adj capacitance) same (measurement\$2) same (probe adj station)) and (current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:48
S13	0	((coupling adj capacitance) same (measurement\$2) same (probe adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:49
S14	0	((coupling adj capacitance) same (probe adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:49
S15	0	(coupling adj capacitance) and (measurement\$2 same (probe adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:50
S16	45	(current adj measurement\$2) same (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:52

S17	0	(current adj measurement\$2) near (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:51
S18	23	(current adj measurement\$2) same (capacitance) same (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:07
S19	1	(current adj measurement\$2) same (resistance) same (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:01
S20	0	(current adj measurement\$2) same (capacitance adj measurement\$2) same (probe adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:07
S21	0	(current adj measurement\$2) and ((capacitance adj measurement\$2) same (probe adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:08
S22	5	(current) and ((capacitance adj measurement\$2) same (probe adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:08
S23	167	(coupling adj capacitance) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:42
S24	175	(coupling adj capacitance\$) and (process adj parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:42
S25	1	(coupling adj capacitance\$2) and (process adj parameter\$2) and (structure\$2 same (maze or serpentine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 13:44
S26	2	(coupling adj capacitance\$2) and (process adj parameter\$2) and (structure\$2 and (maze or serpentine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:00

S27	1	(coupling adj capacitance\$2) and (structure\$2 and (maze and serpentine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:00
S28	7	(capacitance adj measurement\$2) and (process parameter\$2) and (field adj solver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 14:08